

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** Penray Heavy-Duty White Grease #4750

**Other means of identification**

**SDS number:** RE1000039409

**Recommended restrictions**

**Product Use:** Lubricant

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Manufacturer**

**Company Name:** The Penray Companies, Inc.  
**Address:** 440 Denniston Ct.  
Wheeling, IL 60090  
**Telephone:** (800) 373-6729  
**Fax:**

**Emergency telephone number:** 1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

|                      |               |
|----------------------|---------------|
| Flammable aerosol    | Category 1    |
| Gases under pressure | Liquefied gas |

**Environmental Hazards**

|  |            |
|--|------------|
| Acute hazards to the aquatic environment | Category 2 |
|--|------------|

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Extremely flammable aerosol.  
Toxic to aquatic life.  
Contains gas under pressure; may explode if heated.

**Precautionary Statements**

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

### 3. Composition/information on ingredients

#### Mixtures

| Chemical Identity    | CAS number | Content in percent (%)* |
|----------------------|------------|-------------------------|
| Butane               | 106-97-8   | 20 - <50%               |
| Alkanes, C12-14-iso- | 68551-19-9 | 20 - <50%               |
| Propane              | 74-98-6    | 10 - <20%               |
| Zinc oxide (ZnO)     | 1314-13-2  | 1 - <5%                 |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

**Ingestion:** Rinse mouth thoroughly.

**Inhalation:** Move to fresh air.

**Skin Contact:** Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

**Eye contact:** Rinse immediately with plenty of water.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

#### Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

### 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Vapors may travel considerable distance to a source of ignition and flash back.

### Special protective equipment and precautions for firefighters

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

**Methods and material for containment and cleaning up:** Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

**Notification Procedures:** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

## 7. Handling and storage

**Precautions for safe handling:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

**Conditions for safe storage, including any incompatibilities:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source   |
|-------------------|------|-----------------------|--|
| Butane            | REL  | 800 ppm 1,900 mg/m3   | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
|                   | STEL | 1,000 ppm             | US. ACGIH Threshold Limit Values (03 2018)         |
|                   | TWA  | 800 ppm 1,900 mg/m3   | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)     |

|   |           |                       |   |
|---|-----------|-----------------------|---|
| Propane                                 | REL       | 1,000 ppm 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005)                          |
|   | PEL       | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
|   | TWA       | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| Zinc oxide (ZnO) - Dust.                | Ceil_Time | 15 mg/m3              | US. NIOSH: Pocket Guide to Chemical Hazards (2005)                          |
| Zinc oxide (ZnO) - Fume.                | STEL      | 10 mg/m3              | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| Zinc oxide (ZnO) - Respirable fraction. | TWA       | 5 mg/m3               | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| Zinc oxide (ZnO) - Dust.                | REL       | 5 mg/m3               | US. NIOSH: Pocket Guide to Chemical Hazards (2005)                          |
| Zinc oxide (ZnO) - Fume.                | REL       | 5 mg/m3               | US. NIOSH: Pocket Guide to Chemical Hazards (2005)                          |
|   | STEL      | 10 mg/m3              | US. NIOSH: Pocket Guide to Chemical Hazards (2005)                          |
| Zinc oxide (ZnO) - Respirable fraction. | TWA       | 2 mg/m3               | US. ACGIH Threshold Limit Values (2008)                                     |
| Zinc oxide (ZnO) - Fume.                | TWA       | 5 mg/m3               | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| Zinc oxide (ZnO) - Respirable fraction. | PEL       | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Zinc oxide (ZnO) - Total dust.          | PEL       | 15 mg/m3              | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
|   | TWA       | 10 mg/m3              | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| Zinc oxide (ZnO) - Respirable fraction. | STEL      | 10 mg/m3              | US. ACGIH Threshold Limit Values (2008)                                     |
| Zinc oxide (ZnO) - Fume.                | PEL       | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |

**Appropriate Engineering Controls** No data available.

**Individual protection measures, such as personal protective equipment**

**General information:** Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection**

**Hand Protection:** No data available.

**Other:** No data available.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

**Hygiene measures:** When using do not smoke. Observe good industrial hygiene practices.

**9. Physical and chemical properties**

**Appearance**

**Physical state:** liquid  
**Form:** Spray Aerosol  
**Color:** No data available.  
**Odor:** No data available.  
**Odor threshold:** No data available.  
**pH:** No data available.

|  |  |
|--|--|
| <b>Melting point/freezing point:</b>                         | No data available.   |
| <b>Initial boiling point and boiling range:</b>              | No data available.   |
| <b>Flash Point:</b>  | Estimated -104.44 °C   |
| <b>Evaporation rate:</b>                                     | No data available.   |
| <b>Flammability (solid, gas):</b>                            | No data available.   |
| <b>Upper/lower limit on flammability or explosive limits</b> |  |
| <b>Flammability limit - upper (%):</b>                       | Estimated 9.5 %(V)   |
| <b>Flammability limit - lower (%):</b>                       | Estimated 1.9 %(V)   |
| <b>Explosive limit - upper (%):</b>                          | No data available.   |
| <b>Explosive limit - lower (%):</b>                          | No data available.   |
| <b>Vapor pressure:</b>                                       | 379.2085 - 517.1025 hPa (20 °C)<br>758.417 - 896.311 hPa (50 °C) |
| <b>Vapor density:</b>  | No data available.   |
| <b>Density:</b>  | No data available.   |
| <b>Relative density:</b>                                     | No data available.   |
| <b>Solubility(ies)</b>                                       |  |
| <b>Solubility in water:</b>                                  | No data available.   |
| <b>Solubility (other):</b>                                   | No data available.   |
| <b>Partition coefficient (n-octanol/water):</b>              | No data available.   |
| <b>Auto-ignition temperature:</b>                            | No data available.   |
| <b>Decomposition temperature:</b>                            | No data available.   |
| <b>Viscosity:</b>  | 5319 - 6000 mm <sup>2</sup> /s                                   |

## 10. Stability and reactivity

|  |   |
|--|---|
| <b>Reactivity:</b>                         | No data available.                          |
| <b>Chemical Stability:</b>                 | Material is stable under normal conditions. |
| <b>Possibility of hazardous reactions:</b> | No data available.                          |
| <b>Conditions to avoid:</b>                | Avoid heat or contamination.                |
| <b>Incompatible Materials:</b>             | No data available.                          |
| <b>Hazardous Decomposition Products:</b>   | No data available.                          |

## 11. Toxicological information

### Information on likely routes of exposure

|                      |                    |
|----------------------|--------------------|
| <b>Inhalation:</b>   | No data available. |
| <b>Skin Contact:</b> | No data available. |
| <b>Eye contact:</b>  | No data available. |
| <b>Ingestion:</b>    | No data available. |

### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.  
**Skin Contact:** No data available.  
**Eye contact:** No data available.  
**Ingestion:** No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

Alkanes, C12-14-iso- LD 50: > 5,000 mg/kg

Zinc oxide (ZnO) LD 50 (Rat): > 5,000 mg/kg

**Dermal**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

Alkanes, C12-14-iso- LD 50 (Rabbit): 3,160 mg/kg

Zinc oxide (ZnO) LD 50 (Rat): > 2,000 mg/kg

**Inhalation**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

Butane LC 50: > 100 mg/l  
LC 50: > 100 mg/l

Alkanes, C12-14-iso- LC 50: > 5 mg/l  
LC 50: > 20 mg/l

Propane LC 50: > 100 mg/l  
LC 50: > 100 mg/l

Zinc oxide (ZnO) LC 50 (Rat): > 5,700 mg/m3

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s):**

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation  
Experimental result, Key study

|                  |   |
|------------------|---|
| Propane          | NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study<br>NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study  |
| Zinc oxide (ZnO) | LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study<br>NOAEL (Rat(Female, Male), Oral, 13 Weeks): 31.52 mg/kg Oral Read-across based on grouping of substances (category approach), Key study<br>NOAEL (Rat(Male), Inhalation): 1.5 mg/m <sup>3</sup> Inhalation Experimental result, Key study |

#### **Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

Zinc oxide (ZnO) in vivo (Rabbit): Not irritant Experimental result, Key study

#### **Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

Zinc oxide (ZnO) Rabbit, 24 - 72 hrs: Not irritating

#### **Respiratory or Skin Sensitization**

**Product:** No data available.

**Specified substance(s):**

Zinc oxide (ZnO) Skin sensitization:, in vivo (Guinea pig): Non sensitising

#### **Carcinogenicity**

**Product:** No data available.

#### **IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

#### **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

#### **US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

#### **Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

#### **Reproductive toxicity**

**Product:** No data available.

#### **Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Specified substance(s):**

Alkanes, C12-14-iso- May be fatal if swallowed and enters airways.

**Other effects:** No data available.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Alkanes, C12-14-iso- LC 50 (96 h): > 1,000 mg/l

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Zinc oxide (ZnO) LC 50 (Pimephales promelas, 96 h): 500 µg/l Read-across based on grouping of substances (category approach), Key study

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Zinc oxide (ZnO) EC 50 (Daphnia magna, 48 h): 2.6 mg/l Experimental result, Key study

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Zinc oxide (ZnO) LOAEL (Pimephales promelas): 240 µg/l Not specified, Supporting study  
NOAEL (Pimephales promelas): 184 µg/l Read-across based on grouping of substances (category approach), Supporting study

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.



### Persistence and Degradability

#### Biodegradation

**Product:** No data available.

#### Specified substance(s):

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Alkanes, C12-14-iso- Expected to be inherently biodegradable.

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study  
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

#### BOD/COD Ratio

**Product:** No data available.

### Bioaccumulative potential

#### Bioconcentration Factor (BCF)

**Product:** No data available.

#### Specified substance(s):

Zinc oxide (ZnO) Various, Bioconcentration Factor (BCF): 2,600 Aquatic sediment Read-across based on grouping of substances (category approach), Key study

### Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

#### Known or predicted distribution to environmental compartments

Butane No data available.

Alkanes, C12-14-iso- No data available.

Propane No data available.

Zinc oxide (ZnO) No data available.

**Other adverse effects:** Toxic to aquatic organisms.

## 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** No data available.

## 14. Transport information

### DOT

|                               |                     |
|-------------------------------|---------------------|
| UN Number:                    | UN 1950             |
| UN Proper Shipping Name:      | Aerosols, flammable |
| Transport Hazard Class(es)    |                     |
| Class:                        | 2.1                 |
| Label(s):                     | –                   |
| Packing Group:                | II                  |
| Marine Pollutant:             | No                  |
| Environmental Hazards:        | No                  |
| Marine Pollutant              | No                  |
| Special precautions for user: | Not regulated.      |

### IMDG

|                               |                     |
|-------------------------------|---------------------|
| UN Number:                    | UN 1950             |
| UN Proper Shipping Name:      | Aerosols, flammable |
| Transport Hazard Class(es)    |                     |
| Class:                        | 2                   |
| Label(s):                     | –                   |
| EmS No.:                      | F-D, S-U            |
| Packing Group:                | –                   |
| Environmental Hazards:        | Yes                 |
| Marine Pollutant              | No                  |
| Special precautions for user: | Not regulated.      |

### IATA

|                               |                     |
|-------------------------------|---------------------|
| UN Number:                    | UN 1950             |
| Proper Shipping Name:         | Aerosols, flammable |
| Transport Hazard Class(es):   |                     |
| Class:                        | 2.1                 |
| Label(s):                     | –                   |
| Packing Group:                | –                   |
| Environmental Hazards:        | Yes                 |
| Marine Pollutant              | No                  |
| Special precautions for user: | Not regulated.      |
| Cargo aircraft only:          | Allowed.            |

## 15. Regulatory information

### US Federal Regulations

**Restrictions on use:** Not known.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**  
None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Butane                   | lbs. 100                   |
| Propane                  | lbs. 100                   |

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Fire Hazard  
Flammable aerosol

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Butane                   | lbs. 100                   |
| Propane                  | lbs. 100                   |
| Zinc oxide (ZnO)         |                            |

**SARA 311/312 Hazardous Chemical**

| <u>Chemical Identity</u> | <u>Threshold Planning Quantity</u> |
|--------------------------|------------------------------------|
| Butane                   | 10000 lbs                          |
| Alkanes, C12-14-iso-     | 10000 lbs                          |
| Propane                  | 10000 lbs                          |
| Zinc oxide (ZnO)         | 10000 lbs                          |

**SARA 313 (TRI Reporting)**

| <u>Chemical Identity</u> | <u>Reporting threshold for other users</u> | <u>Reporting threshold for manufacturing and processing</u> |
|--------------------------|--|---|
| Zinc oxide (ZnO)         | N982 lbs                                   | N982 lbs.   |

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

**US State Regulations**

**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act**

Chemical Identity

Butane  
Propane  
Zinc oxide (ZnO)

**US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances**

Chemical Identity

Butane  
Propane  
Zinc oxide (ZnO)

**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**International regulations**

**Montreal protocol**

Not applicable

**Stockholm convention**

Not applicable

**Rotterdam convention**

Not applicable

**Kyoto protocol**

Not applicable

**Inventory Status:**

|  |  |
|--|--|
| Australia AICS:                          | On or in compliance with the inventory |
| Canada DSL Inventory List:               | On or in compliance with the inventory |
| EINECS, ELINCS or NLP:                   | Not in compliance with the inventory.  |
| Japan (ENCS) List:                       | On or in compliance with the inventory |
| China Inv. Existing Chemical Substances: | Not in compliance with the inventory.  |
| Korea Existing Chemicals Inv. (KECI):    | Not in compliance with the inventory.  |
| Canada NDSL Inventory:                   | Not in compliance with the inventory.  |
| Philippines PICCS:                       | Not in compliance with the inventory.  |
| US TSCA Inventory:                       | On or in compliance with the inventory |
| New Zealand Inventory of Chemicals:      | On or in compliance with the inventory |
| Japan ISHL Listing:                      | On or in compliance with the inventory |
| Japan Pharmacopoeia Listing:             | Not in compliance with the inventory.  |
| Mexico INSQ:                             | Not in compliance with the inventory.  |
| Ontario Inventory:                       | On or in compliance with the inventory |
| Taiwan Chemical Substance Inventory:     | On or in compliance with the inventory |

|  |
|--|
| <b>16. Other information, including date of preparation or last revision</b> |
|--|

**Issue Date:** 10/22/2019

**Revision Information:** No data available.

**Version #:** 1.0

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.